

Physician's Name and Address:

NPI #

DEA #

Phone #

Fax #

Patient Name: \_\_\_\_\_ DOB: \_\_\_\_\_ SSN: \_\_\_\_\_

Address: \_\_\_\_\_ Home Phone: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Insurance and Policy #: \_\_\_\_\_ RX BIN: \_\_\_\_\_ Group: \_\_\_\_\_

---

---

### ANTI-INFLAMMATORY CREAMS

- Diclofenac 3%, Baclofen 2%, Cyclobenzaprine 2%, Lidocaine 2% (CDBCL) Cream- Musculoskeletal Pain
- Diclofenac 3% Baclofen 2%, Verapamil 10% (CDBV) Cream- Tendinosis, Strictures, and Scarring

---

---

### NEUROPATHIC PAIN AND POST-HERPETIC NEURALGIA CREAMS

- Ketamine 10%, Clonidine 0.2%, Gabapentin 6%, Imipramine 3%, Mefenamic Acid 1%, Lidocaine 2% (KCGIML) Cream- Complex Regional Pain Syndrome/Reflex Sympathetic Dystrophy (RSD), Trigeminal Neuralgia, Phantom Limb Pain, Developing Neuropathy)
- Ketamine 10%, Gabapentin 6%, Clonidine 0.2%, Baclofen 2%, Lidocaine 2% (KGCBL) Cream- Complex Developing Neuropathy) \*\*\*
- Ketamine 10%, Gabapentin 6%, Clonidine 0.2% \*\*\*

---

---

### COMBINATION PAIN CREAMS

- Ketoprofen 20%, Baclofen 2%, Cyclobenzaprine 2%, Gabapentin 6%, Lidocaine 2.5% (KBCGL) Cream TMJ, Musculoskeletal Pain/Inflammation
- Ketamine 10%, Baclofen 2%, Cyclobenzaprine 2%, Ketoprofen 10%, Gabapentin 6%, Lidocaine 2% (KBCKG) Cream- Failed Back Syndrome, Radiculopathy, Fibromyalgia
- Diclofenac 3%, Baclofen 2%, Cyclobenzaprine 2%, Gabapentin 6%, Lidocaine 2% (DBCGL) Cream- TMJ, Musculoskeletal Pain/Inflammation
- Ketamine 10%, Baclofen 2%, Cyclobenzaprine 2%, Diclofenac 3%, Gabapentin 6%, Lidocaine 2% (KBCDGL) Cream- Failed Back Syndrome, Radiculopathy, Fibromyalgia
- Indomethacin 5%, Gabapentin 6%, Cyclobenzaprine 0.2% (IGC) Cream-Tension Headaches

---

---

Please check below boxes if desired to add to formulation:

- |   |   |   |
|---|---|---|
| <input type="checkbox"/> Acyclovir 5% - antiviral         | <input type="checkbox"/> Baclofen 2% - pain                       | <input type="checkbox"/> Clonidine 0.2% - sympathetic     |
| <input type="checkbox"/> Deoxy-D-Glucose- antiviral       | <input type="checkbox"/> Imipramine 3% - neuropathic pain         | <input type="checkbox"/> Ketorolac 0.5% - pain            |
| <input type="checkbox"/> Nifedipine 2% - tissue perfusion | <input type="checkbox"/> Orphenadrine 5% - muscle/NMDA antagonist | <input type="checkbox"/> Lidocaine 2% - anesthetic        |
| <input type="checkbox"/> Cyclobenzaprine- pain            | <input type="checkbox"/> Magnesium Chloride 5% - muscle relaxant  | <input type="checkbox"/> Verapamil 6% - fibrosis/scarring |

---

---

Directions: \_\_\_\_\_

Quantity: \_\_\_\_\_ Refills: \_\_\_\_\_ Date: \_\_\_\_\_

Physician's Signature: \_\_\_\_\_

\*\*\* Notes our most common prescribed pain creams.